MATERIAL SAFETY DATA SHEET

16-2-12 N-Fusion® 65% UMAXX® 25% Isodure Homogeneous



SECTION 1. Chemical Product and Company Identification

Trade name: 16-2-12 N-Fusion® 65% UMAXX® 25% Isodure Homogeneous

Grade: Micro (SGN 100)

CAS registry number: n/a
Chemical name: n/a
Synonym: n/a
Product Use: Fertilizer

Manufacturer: NUTRITE, Division of Ferti Technologies Inc.

560 Rhéaume St-Michel (Québec)

CANADA JOL 2J0

Date of first issue:December 5, 2012Modification date:December 5, 2012Responsible:Jérémie Savard

In case of emergency: CANUTEC: (613) 996-6666

CHEMTREC: 1-800-424-9300 NUTRITE: (450) 454-1990

SECTION 2. Composition/Information on Ingredients

% OSHA Permissible Hazardous Material: CAS number by weight Limit Exposure

No hazardous material

Additional ingredients: CAS number

UMAXX

57-13-6 Urea N-(N-Butyl)-thiophophonic triamide 94317-64-3 Organic nitrogen (Dicyandiamide) 461-58-5 Isobutylidene diurea 6104-30-9 Calcium and magnesium carbonate 17069-72-6 57-13-6 Potassium sulphate 7778-80-5 1375-35-7 Manganese oxide Bi-ammonium phosphate 7783-28-0 Manganese sulphate 10034-96-5

SECTION 3. Hazards Identification

Emergency overview: No significant immediate hazards for emergency responses are

known.

CAUTION: Contact with dust may cause discomfort and/or mild irritation to

skin, eyes, nose and lungs. Avoid breathing dust. Do not ingest. May irritate mouth, stomach, etc.

Wash thoroughly after handling.

Physical state (25°C/77°F): Grey granules, no odour.

SECTION 4. First Aid Measures

Inhalation: Bring subject to a well ventilated area. Contact a physician if symptoms

persist.

Skin: Wash with plenty of water.

Flush eyes with large quantities of running water for a minimum of 15 Eyes:

minutes. Remove contact lenses. Rinse the entire surface of the eye and

lid with water. Call a physician if eye irritation occurs.

Harmfull if swallowed. Seek medical care. Do not induce vomiting. **Ingestion:**

SECTION 5. Fire Fighting Measures

Flammability limits in **Air** (%): n/a **UEL**: n/a LEL: n/a

Fire extinguishing media: Use media appropriate to surrounding fire.

Fire fighting procedures: Use a stream of water to cool containers and surfaces exposed to fire

and to dissipate vapours. Use a self-contained respirator.

Other fire or

Toxic gases may be released at elevated temperature. **Explosion Hazards:**

SECTION 6. Accidental Release Measures

Small release: Stop leak or spill. Collect for re-use. Contain runoff by diking. Prevent

spills from entering water courses, basement or closed area. . Wear

appropriate personal protective equipment for cleanup.

Release to water: Reclaim as much product as possible to avoid further contamination.

SECTION 7. Handling and Storage

Handling: Wear suitable personal protective equipment. Avoid inhalation and

prolonged or repeated contact with eyes and skin.

Store in a dry, ventilated area, away from food and seed. Keep at ambient Storage:

temperature.

Keep out of reach of children.

SECTION 8. Exposure Controls and Personal Protection

Exposure limits: n/a

Personal protection: Skin contact with the product should be prevented with the use of

> appropriate protective clothing and gloves (nitrile gloves are recommended). Wear safety glasses with side-shields to avoid eye

contact.

If dust is generated, use a NIOSH-approved respiratory mask. Respiratory:

Ventilation: Provide good ventilation if dusty conditions prevails.

16-2-12 N-Fusion® 65% UMAXX® 25% Isodure Homogeneous

SECTION 9. Physical and Chemical Properties

Physical state: Solid

Appearance Grey granules
Odour: No odour
Melting point (°C/°F): n/a

Bulk Density: 960-1040 kg/m³, 60-65 lbs/ft³ **Solubility:** Partially soluble in water

pH: n/a

SECTION 10. Stability and Reactivity

Under Normal Conditions: Stable **Under Fire Conditions:** Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Extreme temperatures

Materials to Avoid: Strong oxidizing agents, chlorates, hypochlorites

Hazardous Decomposition or

Combustion Products: Cyanuric acid, sulfur oxides, nitrogen oxides, carbon oxides

SECTION 11. Toxicological information

Recommended

Exposure Limit: None recommended for this product

Toxicological Data: None known

Carcinogenicity Data: Ingredients of this products are not listed as carcinogens by OSHA or NTP

and are not rated by IARC or ACGIH.

Reproductive Effects: No data available
Mutagenicity Data: No data available
Teratogenicity Data: No data available
Synergistic Materials: None known

Effects of exposure when

Inhaled: Dust is irritating to nose, throat and respiratory tract. May cause coughing

or sneezing.

In contact with the skin: Prolonged and repeated contact may cause mild irritation.

In contact with the eyes: Dust may cause mild irritation and due to abrasiveness may cause eye

damage if untreated.

Ingested: Ingestion may cause gastrointestinal upset, abdominal pain and diarrhea. **Other health effects:** High concentration of urea in the blood increases the risk of glaucoma.

SECTION 12. Ecological information

May be harmful to aquatic life. In sufficient quantity may deplete oxygen required by aquatic life. May cause eutrophication of ponds and lakes.

Deactivating chemical: None required

SECTION 13. Disposal considerations

Suitable for use as agricultural/horticultural fertilizer. Consult local authorities. **Do not dispose of waste with normal garbage or into water systems**.

16-2-12 N-Fusion® 65% UMAXX® 25% Isodure Homogeneous

SECTION 14. Transport Information

DOT/TDG Classification Not classified under DOT (USA) or TGD (Canada).

SECTION 15. Regulatory Information

NFPA Classification	DOT/TDG Pictogram	WHMIS Classification	Protective clothing
1 0	Not regulated	Θ	
Health hazard: 1(Slightly hazardous) Fire hazard: 0 (Will not burn) Instability hazard: 0 (Stable) Specific hazard: None		D2B, Toxic material causing other effects	

SECTION 16. Other Informations

References : Commission de la santé et de la sécurité au travail, http://www.reptox.csst.qc.ca

United States Department of labor, Occupational Safety and Health Administration,

http://www.osha.gov/

Report on Carcinogens, Eleventh Edition; U.S. Department of Health and Human Services,

Public Health Service, National Toxicology Program.

http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932

List IARC Carcinogenic Agents 2010, International Agency for Research on Cancer,

http://monographs.iarc.fr/ENG/Classification/Listagentsalphorder.pdf

Material Safety Data Sheet from our suppliers

Definitions of abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service
DOT Department of Transportation

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit for Flammable Gases and Vapor

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

TDG Transport of Dangerous Goods

UEL Upper Explosive Limit for Flammable Gases and Vapor WHMIS Workplace Hazardous Materials Information System

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation

of this document. However, no warranty or representation expressed or implied, is made

to the accuracy or completeness of the foregoing data and safety information.